BEHAVIORAL EVALUATION: Key: 0 not present; 1 very mild; 2 mild; 3 moderate; 4 severe; 5 very severe

1. ATTENTION DEFICIT	0	1	2	3	4	5	
Doesn't seem to listen when spoken to							
Makes careless errors in schoolwork							
Avoids/dislike sustained attention tasks							
Short attention span							
Disorganized							
Loses things							
Trouble keeping track personal property							
Easily distracted							
Forgetful in daily activity							
Difficulty completing tasks							
Gets bored easily							
Stares into space/daydreaming							
Low energy, sluggish or drowsy							
Apathetic or unmotivated							
Frequently switches activity to another							
Trouble concentrating							
Falls asleep doing work							
Failure to hand in work							
Trouble doing homework							
Trouble following directions							
Excited in beginning but doesn't finish							
Difficulty learning							
TOTAL							
ATTENTION DEFICIT							

110 =

%

2. HYPERACTIVITY	0	1	2	3	4	5
Fidgets with hands & Feet						
Squirms in seat						
Frequently leaves seat						
inappropriately						
Runs, climbs or moves excessively						
Difficulty working or playing quietly						
On the go						
Driven						
Talk excessively						
Can't sustain eye contact						
Needs a lot of supervision						
Pays attention to everything						
Frequently rocks						
Excitability						
Lacks patience						
In trouble frequently						
Restless						
TOTAL						
HYPERACTIVITY TOTA	Ĺ	-	-	-	-	
80	=			%		

3. IMPULSIVITY 0 1 2 3 4 5 Cannot see consequences of behavior Blurts out answers or comments Difficulty waiting turn Frequently interrupts Butts into others' conversations Engages in physically dangerous activities Acts before thinking Frequently takes risks Takes all dares Frustrated easily TOTAL IMPULSIVITY TOTAL 50 = %

4. IMMATURITY	0	1	2	3	4	5
Delayed physical development						
Prefers to play with younger children						
Plays with toys below age level						
Behavior resembles younger children						
Immature responses to situations						
Talks "baby talk"						
Whining and clinging like younger						
person						
Inappropriately messy						
Difficulty understanding age						
appropriate directions						
TOTAL						
IMMATURITY TOTA	I.		•			-

IMMATURITY TOTAL

%

5. LOW SELF-ESTEEM	0	1	2	3	4	5
Doesn't trust self						
Frequently puts self down						
Refuses to try new things						
Poor performance though has ability						
Always takes a back seat position						
Timid and reserved						
Often shy around others						
questions hard in front of others						
Sees the worst in self						
Hangs around withless capable						
friends						
Easily embarrassed						
Seems satisfied with poor school						
work						
Does not compete with others						
Gives up easily						
Shows no self confidence						
TOTAL						
LOW SELF-ESTEEM TOTA	Ľ					



%

^{45 =}

BEHAVIORAL EVALUATION: Key: 0 not present; 1 very mild; 2 mild; 3 moderate; 4 severe; 5 very severe

6. OPPOSITIONAL BEHAVIORAL	0	1	2	3	4	5
Oppositional and disrespectful toward auth	norit	у				
Often loses temper						
Argumentative						
Often defies rules						
Frequently refuses adult request						
Deliberately does things to annoy others						
Blames others for mistakes or behavior						
Touchy or easily annoyed by others						
Angry and resentful						
Spiteful or vindictive						
Swears or uses obscene language						
Shows provocative behavior						
Shows excessive stubbornness						
Lies frequently						
Must have his own way						
Plays tricks on or teases others						
Doesn't keep promises						
Resists being disciplined						
Cannot take teasing						
Refuses to take suggestions						
Has an "I don't care" attitude						
Runs away from home						
Often truant from school						
Stays out all night against parents rules						
TOTAL						
OPPOSITIONAL BEHAVIORAL TOTAL		-	-	-		

OPPOSITIONAL BEHAVIORAL TOTAL



7. ANXIETY	0	1	2	3	4	5
Panic attack type symptoms						
Frequently nervous						
Often upset						
Fearful of many things						
Fearful of being alone						
Fearful of a specific object						
Jumpy, hyper vigilant						
Timid						
Worries excessively						
Persistent thoughts						
Repetitive behaviors (hand washing)						
Exaggerated startled response						
Shaking trembling						
Tearful						
Fear of death or dying						
Tenses muscles						
Always on edge						
TOTAL						
ΑΝΧΙΕΤΥ ΤΟΤ	AL		•			
8	5 =			%		

8. DEPRESSION 0 1 2 3 4 5 Seems sad, does not smile very much Seems unusually quiet Poor sense of humor Grouchy, irritable Sullen Looks flat Withdrawal from family/activities Tearful Frequently seems lonely Moodiness, unpredictable mood swings A loner, withdrawn Depressed No interest

Problems with sleep

suicidal TOTAL

Thinks about death or dying

9. SLEEP		0	1	2	3	4	5
Difficulty going to bed							
Difficulty going to sleep							
Wakes up frequently							
Early awakening							
Restless sleep							
Talking in sleep							
Walking in sleep							
Wakes up in terror							
Restless legs							
Bed wetting or soiling							
Nightmares							
TOTAL							
	SLEEP TOTAL						
	55 =				%		

DEPRESSION TOTAL

80 =

%

BEHAVIORAL EVALUATION: Key: 0 not present; 1 very mild; 2 mild; 3 moderate; 4 severe; 5 very severe

DEVELOPMENTAL &LD TOTAL

%

65 =

11. AGGRESSIVE BEHAVIOR	0	1	2	3	4	5
Bullies, threatens or intimidates others						
Often initiates fights used a weapon that could harm others						
Has been physically cruel to others						
Has been physically cruel to animals						
Has stolen while confronting victim						
Has forced someone into sexual activity						
Deliberate fire setting						
Broken into the property of others						
Lies to obtain goods or favors						
Stolen without confronting victim						
Does not respect anyone						
Bosses others around						
Makes derogatory remarks about others						
Seems to enjoy being in trouble "a hero"						
Delights in failure of others						
Pushes or shoves others						
Cheats at games						
Preoccupied with death, guns, killing						
TOTAL						
AGGRESSIVE BEHAVIOR TOTA	L	-	-	-	-	
95 -	=			%		

12. TIC DISORDER	Ó	1	2	3	4	5
FACIAL TIC: eye blinking, eye rolls, squinting, grimacing lip licking biting tongue, grinding teeth						
HEAD AND NECK HAIR out of the eyes, neck jerks, tossing head around, shoulder shrugging						
ARMS AND HANDS: Flailing arms, extending arms, biting nails, finger flexing, picking skin, popping knuckles						
DIAPHRAGM: unusual inhale/exhale, gasping for breath						
LEGS: kicking, hopping, skipping jumping bending, stooping, stepping backward						
FEET: tapping, shaking, toe curling, tripping turning feet						
OTHERS: blowing, smelling twirling hair, jerking, kissing, hitting self, chewing, scratching, shivering, pulling						
Vocal Tics						
Throat clearing, coughing						
Grunting, snorting, animal noises						
Yelling, screaming						
Sniffing, burping						
Barking, honking						
Motor, jet noises						
Spitting						
Squeaking, "huh"						
Humming						
Stuttering						
Deep breathing, sucking breath in						
Repetitive cursing						
TOTAL						

95 = %

TIC DISORDER

Name:	Age:	
Date:		Rater:
1. Attention Deficit		%
2. Hyperactivity	-	%
3. Impulsivity	-	%
4. Immaturity	-	%
5. Low Self Esteem	-	%
6. Oppositional Behavior	-	%
7. Anxiety	-	%
8. Depression	-	%
9. Sleep	-	%
10. Developmental And LD	-	%
11. Aggressive Behavior	-	%
12. Tic Disorder	-	%
	TOTAL	%

OTHER COMMENTS OR CONDITIONS NOT SPECIFIED: